


Dräger Oxy K 30 H Oxygen Self Rescuer

The Dräger Oxy K 30 H escape devices protect against sudden toxic gases and / or oxygen deficiency. The oxygen self-rescuers are equipped with a hood.



Benefits

Low maintenance

If the Oxy K 30 H is stored, no maintenance and servicing is required for a time period of up to ten years.

Easy and convenient to open and put on

The Oxy K 30 H is easy to operate. The housing can easily be opened, and the device is easy to don and set up.

Protective hood

The hood provides protection for your head, face and eyes against smoke. The device is also designed for wearers of glasses.

Tested and approved

The units are approved according to DIN EN 13794:2002, ISO 23269-1:2008 as well as MED and SOLAS.

The oxygen self rescuers are applicable for use up to temperature class 4.

Operational readiness displayed by indicator

By means of the colouring of the service indicator, the user recognizes at a glance whether the device is ready-to-use. The escape device works on the basis of chemically bound oxygen and can be used for 30 minutes.

Immediate oxygen supply

Due to the quick-start mechanism, oxygen is immediately supplied to the wearer.

Training devices

Devices are available for training purposes in order to be optimally prepared for cases of emergency.

Accessories

D-45090-2015



Training device Oxy K 30 HW

With the training device Oxy K 30 HW putting on and respiration of the oxygen self rescuer can be exercised with this training device.

D-45101-2015



Training device Oxy K 30 HS

With the training device Oxy K 30 HS putting on and respiration of the oxygen self rescuer can be exercised with this training device.

ST-15409-2008



Operational simulator

It simulates the heated inspiratory temperature for Oxy K training devices.

Related Products



Dräger Oxy SR Series

The Dräger **Oxygen Self Rescuers** are easy and fast to handle, even under extreme conditions. The devices are service-free for up to 10 years while being worn. The unique safety eye provides you the ability to check the device without additional tools.

The Oxy series provides breathing protection according to the highest standards since decades - made in Germany.

Technical Data

	Oxy K 30 HW	Oxy K 30 HS
Temperature	31 °C to +50 °C for storage and transport	
	-31 °C to +70 °C for a maximum of 24 h during transport (not when the device is in use)	
	0 °C to +50 °C during use	
Inhalation temperature	maximum +55 °C (dry air) according to DIN EN 13794:2002	
Relative humidity	up to 100 %	
Breathing bag volume	> 6 litres	
Service life	up to 10 years	
Duration	30 min (35 L/min breathing minute volume)	
Inhalation / exhalation resistance	at 35 L/min: 5 hPa at 35 L/min (at the end of the running time): maximum 7.5 hPa	
Weight	3.5 kg (unopened), 2.2 kg (in use)	2.8 kg (unopened), 2.2 kg (in use)
Dimensions	227 x 265 x 118 mm	210 x 260 x 105 mm
Approvals	in accordance with DIN EN 13794:2002, ISO 23269-1:2008 MED und SOLAS	

Ordering Information

Description	Order No.
Oxy K 30 HW (wall holder)	63 04 600
Oxy K 30 HWT (training device, wall holder)	63 04 601
Oxy K 30 HS (shoulder strap)	63 04 700
Oxy K 30 HST (training device, shoulder strap)	63 04 701

Notes

Not all products, features, or services are for sale in all countries.
Mentioned Trademarks are only registered in certain countries and not necessarily in the country in which this material is released. Go to www.draeger.com/trademarks to find the current status.

CORPORATE HEADQUARTERS
Drägerwerk AG & Co. KGaA
Moislinger Allee 53–55
23558 Lübeck, Germany
www.draeger.com

REGION DACH
Dräger Safety AG & Co. KGaA
Revalstraße 1
23560 Lübeck, Germany
Tel +49 451 882 0
Fax +49 451 882 2080
info@draeger.com

REGION EUROPE
Dräger Safety AG & Co. KGaA
Revalstraße 1
23560 Lübeck, Germany
Tel +49 451 882 0
Fax +49 451 882 2080
info@draeger.com

REGION MIDDLE EAST, AFRICA
Dräger Safety AG & Co. KGaA
Branch Office
P.O. Box 505108
Dubai, United Arab Emirates
Tel +971 4 4294 600
Fax +971 4 4294 699
contactuae@draeger.com

REGION ASIA PACIFIC
Draeger Singapore Pte. Ltd.
61 Science Park Road
The Galen #04-01
Singapore 117525
Tel: +65 6872 9288
Fax: +65 6259 0398
asia.pacific@draeger.com

**REGION CENTRAL
AND SOUTH AMERICA**
Dräger Indústria e Comércio Ltda.
Al. Pucurui - 51 - Tamboré
06406-100 - Barueri - SP
Tel. +55 (11) 4689-4900
relacionamento@draeger.com

Locate your Regional Sales
Representative at:
www.draeger.com/contact

